# 规格承认书

SPECIFICATION FOR APPROVAL

客户		
CUSTOMER		_
品名		
PARTS	固态铝电解电容器	
产品型号		
MODEL NO	6801010816R00	

编制	审核	批准		
PREPARED BY	CHECKED BY	APPROVED BY		
平磊	宋小根	路康平		

承认栏 APPROVAL

南京永立电子有限公司

NANJING WINNER ELECTRONICS CO.,LTD

## 文件内容修改历史记录 RECORD OF REVISION

生效版本	变更原因	修改内容	承认时间	拟 制	备 注
REV. NO.	REASON	CONTENTS	DATE OF	CHECKED	REMARKS
1	客户要求	新项目送样	2022-12-3	平磊	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					


### Parts list &Characteristics 物料清单及特性

Part NO.	SPECIFICATION	Size	Cap.	Tan δ	Lu( µ A)	$ESR(m\Omega)$	Ripple Current	LEAD STYLE
料号	规格	(mm)	Tol	损耗	漏电流	25℃	纹波电流 (mA)	引脚形式/印字
		D*L 尺寸	±(%)			100KHz	105℃ 100KHz	
6801010816R00	100V68UF	8*16	20	0.12	1360	35	1800	散料长脚/红字

#### 一、概述 SCOPE

本产品规格书适用于南京永立电子有限公司 PH 型固态铝电解电容器产品。

The product specification is adapted to series PH Conductive Polymer Aluminum Electrolytic Capacitorsof NANJING WINNER ELECTRONICS CO.,LTD



ФD	5.5	6.3	8	10
$F(\pm 0.5)$	2.5	2.5	3.5	5.0
$d(\pm 0.02)$	0.5	0.6	0.6	0.6

三、技术性能 Specifications

	大性能 Specifications									
1	系列号(SERIES)		PH 系列(PH SERIES)							
	额定电压		267/ 1007/							
2	(rated voltage)		35V~100V							
	工作温度范围	工作温度范围	工作温度范围是指电容器在额定电压下能持续工作的所允许外部环境的温度范围							
3	Operating	operating tem	perature ra	ange is the	range of an	nbient temp	erature at w	which the	capacitor ca	an be operated
	temperature	continuously a	at rated vo	ltage						
	range operating	SPEC:-55~+	105℃							
		测量温度 20℃				measuring temperature				
4	电容容量 capacitance	测量频率 120HZ					measuring frequency			
		测量电压 0.5Vrms					measuring voltage			
		标称电	容量允许	偏差: <b>±20</b> %	% MAX	No	minal Cap	acitance To	olerance:±	20% MAX
		损耗角正切的	<b>力</b> 测量应要	<b></b> 早和测量电	容容量一样	的条件下述	<b>进行</b>			
		Measurement	should b	oe made ur	nder the s	ame condi	tions as t	hose give	n for the	measurement
	损耗角正切	of capacita	nce							
5	tangent of the	SPEC:								
	loss angle	損耗角 正切	U <sub>R</sub> (V)	35	50	63	80	100		
		(tgδ) tgδ 参考目录规格								


6	漏电流 leakage current	将额定电压加在电容和 $1000\pm100\Omega$ 的保护电阻上。在充电 $2$ 分钟后,按下列等式计算漏电流 the rated voltage shall be applied across the capacitor and its protective resistor which shall be $1000\pm100\Omega$ . The leakage current shall be then measured after an electrifications period of (A)min. The leakage current shall be calculated by the following equation $ \text{在加上额定电压一定时间后, 应满足下列要求: } I{\leqslant}0.2\text{CV or } 300\mu\text{A Which is greater}(取较大者) \\ (20^{\circ}C, 2\text{分钟}) $ SPEC: The following specifications shall be satisfied when the rated voltage is applied for the required time.						
7	等效串联阻抗 Equivalent Series Resistance (ESR)	测量温度 20℃ 测量频率 100KHZ 测量电压 0.5Vrms				measuring temp measuring fre measuring vo	quency	
8	允许最大纹波电 流 Maximum permissible ripple current	仍要满足。在此 The maximum si capacitor can						

	以 <u>地力化</u> 及安.									
		在规定温度下,循环测试 1000 次,每次充电 30±5 秒,再放电大约 5 分 30 秒。在标准温度条件下存放使 其稳定,然后测试。								
The capacitor shall be subjected to 1000cycles at a temperature specified below, each con of a charge period of $30\pm5$ sec, followed by a discharge period of approx. 5min30sec. capacitor shall be stored under standard conditions thermal to obtain stability, after measurements shall be made.							n30sec. Ar	nd the		
		measurement circuit(测试电	路图)							
				VZ:浪	涌电压		V1:直流	电压		
				Surge	voltage		DC volt	neter		
				R1:保	护电阻(1K	(Ω)	R2:放电	电阻器		
1	浪涌测试			Protec	ctive seri	.es	Dischar	ge resis	stor	
1	Surge test			CX:测i	式电容		S:开关			
				Test	capacitor		Switch			
		SPEC: 1) 电容量变化 Cha	ange in car	pacitance:	<b>Ŀ10%</b> 初始ſ	直以内 Wit	hin±10% o	f the init	ial value	
										less
		3) ESR (equivaler	nt series r	esistance	): 小于等	于初始规定	淫值 The ini	tial spec	ified value	or less
		4) 漏电流 leakage	current:	小于等于初	始规定值。	The initial	specified v	alue or l	ess	
		电压设定								
		RATED VOLTAGE(V <sub>DC</sub> )	35	50	63	80	100			$\neg$
		SURGE VOLTAGE(V <sub>DC</sub> )	40	57.5	72	88	110			
		1) 拉力(tensile)								
		d(mm)		[N]		Duration time				
		0.3 <d≤0.5< td=""><td></td><td>5</td><td></td><td colspan="2">10±2sec(秒)</td><td></td><td></td><td></td></d≤0.5<>		5		10±2sec(秒)				
		0.5 <d≤0.8< td=""><td colspan="3">10</td><td></td><td></td><td></td><td></td><td></td></d≤0.8<>	10							
	端子强度	2)抗弯强度(Bending)								
2	T	端子应该在每一方向上折弯	写一次,总	共两次						
	Terminal strength	The terminal shall be subj	ected to 1	bend in ea	ch direction	n to give a	total 2 ber	nds.		
		d(mm)			[N]					
		0.3 <d≤0.5< td=""><td></td><td>2.</td><td>5 (0.25KG</td><td>)</td><td></td><td></td><td></td><td></td></d≤0.5<>		2.	5 (0.25KG	)				
		0.5 <d≤0.8< td=""><td colspan="4">5.0 (0.51KG)</td><td></td><td></td><td></td></d≤0.8<>	5.0 (0.51KG)							
		端子没有破损或松动 SPEO	C: No brea	king and lo	osening of	terminal				
		焊料(Solder): H60A. H6	0S or(或)⊦	163A						
	可焊性	焊接温度(Solder temperat	ure) : 24	<b>5±2</b> ℃						
3	solderability	浸入时间(Immersion time)	: 3±0.5s	ec(秒)						
	Joingrability	浸入深度(Immersion depth		体 1.5~2mn	า					
		熔化: 松香在酒精的浓度是	<b>25</b> %							

		Flux: 25% by weight of rosin in ethanol
		从含浸处到顶部,至少要有 3/4 的部分覆盖有新焊料
		SPEC:1)3/4 of the circumference of the surface up to the immersed shall be covered with new solder.
		焊料(Solder): H60A. H60S or(或)H63A
		焊槽温度(Solder temperature): 260±5℃(or 或 350±10℃
	耐焊接热	浸入时间(Immersion time): 10±1sec(秒) (or 或 3.5±0.5sec)
4	Resistance	绝热屏蔽板的厚度(Thickness of heat shunt:1.6mm): 1.6mm
	to soldering heat	SPEC: 1) 电容量变化 Change in capacitance: ±10%初始值以内 Within±10% of the initial value
		2)损耗角正切 tangent of the loss angle: 小于等于初始规定值 The initial specified value or less
		3) ESR (equivalent series resistance): 小于等于初始规定值 The initial specified value or less
		4) 漏电流 leakage current: 小于等于初始规定值 The initial specified value or less
	标志耐溶剂	标志应清晰可见
5	性 性	   试剂:异丙醇 试验温度:20~25℃ 浸入时间:30±5S
		电容器要在温度 60±2℃,相对湿度 90%到 95%条件下存放 240±8 个小时。然后在标准条件下放 1 到 2 小时后进行测量。
	高温高湿	the capacitor shall be stored at a temperature of 60±2℃ and relative huidity of 90 to 95% for
	Dampheat,	240±8hours. And then the capacitor shall be subjected to standard atmospheric conditions for 1 to 2hours, after which measurements shall be made
6	steady	SPEC: 1) 电容量变化 Change in capacitance: ±20%初始值以内 Within±10% of the initial value
	state	2)损耗角正切 tangent of the loss angle: 150%初始规定值以内 within 150%of the initial value
		3) ESR (equivalent series resistance): 150%初始规定值以内 within 150%of the initial value
		4)漏电流 leakage current: 小于等于初始规定值 The initial specified value or less
		will date consider control of the property of
		在+105℃温度下不外加电压贮存,电容器存放 1000 小时。然后在标准条件下放 1 到 2 小时后进行测量, 并且在测漏电流前,必须满足下列条件。
		The capacitor shall be stored at +105°C temperature specified below for1000hours. During which time no voltage shall be applied. And then the capacitor shall be sujected to standard atmospheic conditions for
	高温储存	1 to2hours, after which measurements shall be made, Prior to the measurement of leakage current,
7	shelf life	following conditioning may be made.
		SPEC: 1) 电容量变化 Change in capacitance: ±20%初始值以内 Within±10% of the initial value
		2)损耗角正切 tangent of the loss angle: 200%初始规定值以内 within 200%of the initial value
		3) ESR (equivalent series resistance): 200%初始规定值以内 within 200%of the initial value
		4)漏电流 leakage current: 小于等于初始规定值 The initial specified value or less
		在+105℃下, 电容器施加带额定纹波电流的额定电压 2000 小时。在标准条件下放 1 到 2 小时后进行测量。
		The rated voltage with specified ripple current shall be applied continuously to the capacitor at maximum operating temperature +105°C for 2000 hours. And then the capacitor shall be subjected to standard
	耐久性	atmospheric conditions for 1to 2hours, after which measurement shall be made.
8	load life	SPEC: 1) 电容量变化 Change in capacitance: ±20%初始值以内 Within±10% of the initial value
		2)损耗角正切 tangent of the loss angle: 200%初始规定值以内 within 200%of the initial value
		3) ESR (equivalent series resistance)。200%初始规定值以内 within 200%of the initial value
		4)漏电流 leakage current:小于等于初始规定值 The initial specified value or less

电容器要图一的温度循环要求下保持5个循环。然后在标准条件下放1到2小时后进行测量。 The characteristics of a capacitor kept under the temperature cycle indicated in Figure 1 for 5 cycles . And then the capacitor shall be subjected to standard atmospheric conditions for 1to 2hours, after which measurement shall be made. 温度循环试验 Rapid temperature -55°C 9 change  $30 \pm 3 min$  $30 \pm 3 min$ Figure.1 ≤3min ≤3min SPEC: 1) 电容量变化 Change in capacitance: ±10%初始值以内 Within±10% of the initial value 2) 损耗角正切 tangent of the loss angle: 小于等于初始规定值 The initial specified value or less 3) ESR (equivalent series resistance): 小于等于初始规定值 The initial specified value or less 4)漏电流 leakage current: 小于等于初始规定值 The initial specified value or less 电容器要在温度-55℃条件下存放 72±2 个小时。然后在标准条件下放 1 到 2 小时后进行测量。 the capacitor shall be stored at a temperature of -55°C for 72±2hours. And then the capacitor shall be subjected to standard atmospheric conditions for 1 to 2hours, after which measurements shall be made 低温试验 SPEC: 1) 电容量变化 Change in capacitance: ±10%初始值以内 Within±10% of the initial value Low 10 temperature 2) 损耗角正切 tangent of the loss angle: 小于等于初始规定值 The initial specified value or less test 3) ESR (equivalent series resistance): 小于等于初始规定值 The initial specified value or less 4)漏电流 leakage current: 小于等于初始规定值 The initial specified value or less


#### 五、结构图 Frame drawing



序号	部件名称	材料名称	主要供应厂家名称
No.	Parts	Material	Main supply Factory
1	PE 铝壳 PE- CASE	99. 5%纯度铝 AL - 99. 5%	舟山新龙电子有限公司 ZHOUSHAN XINLONG ELECTRONIC CO., LTD


2	橡胶塞 Sealing Material	橡胶 rubber	玉环鑫庄电子股份有限公司 YUHUANG XINZHUANG ELECTRONIC CO., LTD 苏州毅丰橡胶工业有限公司 YUFENG RUBBER INDUSTRY CO, LTD.	
3	引出线 Lead	铝线+镀锡铜钢线 AL- wire +Tin- plating of copper cover steel	张家港洪兴电子有限公司 ZHANGJIAGANG HONGXING ELECTRONIC CO., LTD	
4	正极箔 AL-foil(+)	99. 99%或 99. 98%形成铝箔 Formed AL 99.98% or 99.98%	扬州宏远电子有限公司 Yangzhou HongYuan Electronic Co., Ltd	
5	电解纸 Separstor paper	电解电容器纸 Electrolytic Capacitor paper	仙鹤股份有限公司 XIANHE CO., Ltd	
6	负极箔 AL-foil(-)	99. 7%铝箔 Etched AL 99.7%	苏州升维电子科技有限公司 SUZHOU SHENGWEI ELECTRONIC TECHNOLOGY CO. LTD	
7	电解质 Electrolyte	聚合物 Conductive Polymer	深圳新宙邦科技股份有限公司 SHENZHEN CAPCHEM TECHNOLOGY Co., Ltd	

# 六、标志 Marking



1,	代表容量 Rate Capacitance
2,	代表商标 Rate Brand
3,	代表电压 Rate Voltage

## 七、编带形状及尺寸 Taping of Aluminum Electrolutic Capacitor and size



						mm
Symbl	Case Size				TOL	Remark
ФД	5	6.3	8	10		
P	12.7				±1.0	
P <sub>0</sub>	12.7				±0.2	
	3.85					Fig1. Fig 4
P <sub>1</sub>			4.6		±0.7	Fig 4
		5.1				Fig 2. Fig 3. Fig 5
P <sub>2</sub>	6.35				±1.0	
	5.0					Fig 1. Fig 4
F			3.5		+0.8	Fig 4
	2.5				-0.2	Fig 2: Φ5 Fig 3: Φ6. 3 Fig 5: Φ8
W	18.0			±0.5		
$W_0$	12.0			min		
$\mathbf{W}_1$	9.0			±0.5		
$W_2$	1.5			max		

Н	18.5	±0.5	
$H_0$	16.0	±0.5	
$D_0$	4.0	±0.3	
L	11.0	max	
t	0.6	±0.3	
Δh	0	±2.0	

八、铝电解电容器的使用注意事项 Guidelines For Using Aluminum Electrolytic Capacitor

为使您获得电解电容器的最佳性能和延长电解电容器的使用寿命,在使用电解电容器前,请务必阅读本注意事项。

Upon using Aluminum Electrolytic Capacitors, please proper handing and observing to following important points will insure optimum capacitor performance and long life.

1. 直流电解电容器是有极性的 DC electrolytic capacitors are polarized.

确定极性,极性标志在电容器的基体上。以免因极性反可能引起电路短路或电容器损坏,当极性不固定或不确定的,使用双极性电容器。注意直流电解电容器不能使用于交流。

Make sure of the polarity. The polarity is marked on the body of the capacitor .Application of the reversed voltage cause a short circuit or damage to the capacitor. Use bipolar capacitors when the polarity is not determined or unknown. Note that DC electrolytic capacitors can not be used for AC application.

2. 使用电压不要大于额定电压 Do not apply voltage greater than rated voltage.

使用电压大于额定电压,漏电流会增大,可能损坏电容器。建议工作电压为额定电压的百分之七十~八十,电容器在建议的工作电压下使用可延长电容器的寿命。

If a voltage exceeding the rated voltage is applied, the leakage current will increase, which damage the capacitor. Recommended working voltage is 70 to 80 percent of tatted voltage. Using capacitors at recommended working voltage prolongs capacitor life.

3. 不要使过量的纹波电流通过电容器 Do not allow excessive ripple current through the capacitor.

流过电容器的纹波电流超过许可值,将会引起电容器发热,电容量减少,损害电容器。通过电容器的纹波电流不要大于允许值。

The flow of ripple current over permissible ripple current will cause heat of the capacitor, which may decrease the capacitance and damage the capacitor. Ripple current on the capacitor must be at or bellow allowable level.

4. 快速的充放电电路中,使用专门设计的电容器"

Use specially designed capacitors for the circuits where charge and discharge are frequency repeated.

在经受快速的周期性充放电电路中,电容器可能受损害,它的寿命因容量下降、温升等原因而缩短,在这种电路中,一定要使用专门设计的电容器。

In the circuit subjected to rapid charge cycles, capacitors may be damaged, its life may be shortened by capacitance decrease, heat rise, ect. Be sure and use special capacitors in these applications.

5. 工作温度范围 Operating temperature range.

电容器的特性随工作温度而变化,在温度较高的情况下,容量、漏电流增大,损耗减少;在低温情况下,容量和漏电流下降,损耗增大。电容器在较低的温度下使用会确保延长寿命。

The characteristics of capacitors change with the operating temperature. The capacitance and leakage current increase and tgō decrease at higher temperatures. The capacitance and leakage current decrease and tgō at increase lower temperature. Usage at lower temperature will ensure longer life.

6. 核对工作频率 Check operating frequency.

电解电容器的容量通常是在 100Hz 或 120Hz 下测得的。然而要记住容量随频率的升高而下降,tg δ 随频率的升高而增大,并使周围温度升高。

The capacitance of electrolytic capacitors is usually measured at 100Hz or 120Hz. However, remember that capacitance decrease and  $tg\delta$  increase as the applied frequency becomes higher whereas the ambient temperature becomes higher.

7. 长时间存放的电容器,在使用前加额定直流电压处理

Apply rated DC voltage treatment to the capacitors which have been stored for a long time .

长时间的存放,实际对电容器的容量和 tg  $\delta$  没有多大的影响,然而往往会使漏电流增大,耐压降低。长时间存放后的电容器处理,首先逐渐施加直流电压至额定电压,然后再使用。

Long periods of storage have virtually no effect on a capacitor's capacitance and tgδ. Such periods tend however, to increase leakage current and decrease withstand voltage. After removing capacitors from long-duration storage, first apply a gradually increasing DC voltage to rated voltage and then use them.

8. 电容器外壳与阴极端是不绝缘的 The capacitor case is not insulated from the cathode terminal. 电容器外壳与阴极端是通过电解液连接的,如果电容器的外壳必须与线路绝缘,则电容器的安装位置处,一

The capacitor's case and cathode terminal connect through the electrolyte. If the case is to be completely insulated, that insulation must be at the capacitor's mounting point.

9. 电容器的端子或引线上不要施加过大的力

定要采取绝缘措施。

Do not apply excessive force to the terminals and leads.

过大的力施加到端子和引线上, 可能引起引线的断裂或端子分裂, 转而会引起内部连接的破坏。

The excessive strong force applied to the terminals and lead wires may cause leads to break or terminals to separate and, in turn, cause the internal contact to fail.