

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.



COPYRIGHT -- By --

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

D1




REVISED (ECR-13-008834)

11SEP2013



B.W

H.K

-3 : AS SHOWN

DETAIL C
(SCALE 4:1)0.43MAX
(AFTER CARD INSERTED)DETAIL D
(SCALE 4:1)

SEE DETAIL C


0.85
(STAND OFF)0.45
(STAND OFF)MOUNT
SURFACEBUTTON COLOR:
GRAY(1759880-1)
BLACK(1759880-3)DETAIL E
(SCALE 4:1)

SEE DETAIL E

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 PLC ± 0.3
1 PLC ± 0.25
2 PLC ± 0.25
3 PLC ± -
4 PLC ± -
ANGLES ± 1°

FINISH

DWN 15AUG07

S.WATANABE

CHK 15AUG07

J.CHIANG

APVD 15AUG07

H. KODAMA

PRODUCT SPEC

APPLICATION SPEC

WEIGHT 18GRAM

CUSTOMER DRAWING



TE Connectivity

NAME

EXPRESS CARD CONNECTOR
SHIELD FRAME ASSEMBLY, TOP MOUNT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-1759880

SCALE 1:1

SHEET 1 OF 4

REV D1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

ALL RIGHTS RESERVED.



COPYRIGHT - By -

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD






- SEE SHEET 1

-

-

-

-3 : AS SHOWN

REFERENCE FIGURE WHICH ATTACHED
HEADER ASSEMBLY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

EXPRESS CARD CONNECTOR
SHIELD FRAME ASSEMBLY, TOP MOUNT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

1759880

SCALE

1:1




SHEET

2 OF 4

REV

D1

3.25MIN—



OBSOLETE

- | ⑧ | BUSH (M2X0.4 TAP) | STAINLESS STELL | | | | | 2 | | | |
|------|--------------------------|--------------------------|--------|-----------|-----------|-----------|-------|-------|-------|---|
| ⑦ | ARM BAR | STAINLESS STELL | | | | | 1 | | | |
| ⑥ | BRACKET (R) (M2X0.4 TAP) | STAINLESS STELL | | | | | 1 | | | |
| ⑤ | BRACKET (L) (M2X0.4 TAP) | STAINLESS STELL | | | | | 1 | | | |
| ④ | GUIDE RAIL HSG | THERMOPLASTIC (UL94 V-0) | | | | | BLACK | BLACK | BLACK | 1 |
| ③ | LOWER SHELL | STAINLESS STELL | | | | | | | | 1 |
| ② | UPPER SHELL | STAINLESS STELL | | | | | | | | 1 |
| ① | PUSH PUSH ASSY | STAINLESS STELL | | | | | | | | |
| | | THERMOPLASTIC (UL94 V-0) | BLACK | GRAY | GRAY | | | | | |
| ITEM | NAME | MATERIAL | FINISH | 1759880-3 | 1759880-2 | 1759880-1 | Q'TY | | | |
| | | | | COLOR | | | | | | |

CUSTOMER DRAWING

MATERIAL

0 PLC ± 0.3 0 PLC ± 0.3

1 PLC	± 0.25
-------	------------

2	PLC	± 0.25
---	-----	------------

3 PLC $\pm$ -4 PLC $\pm$ -

ANGLES	$\pm$
--------	-------

FINISH

TE Connectivity

EXPRESS CARD CONNECTOR

SHIELD FRAME ASSEMBLY, TOP MOUNT

RESTRICTED ~~TC~~

©-1759880

SCALE 1 - 1

SHEET

7 of 4

REV D.1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

ALL RIGHTS RESERVED.



COPYRIGHT - By -

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE





DWN

APVD

- SEE SHEET 1

-3 : AS SHOWN

EJ ASSEMBLY



15.25

K-K

10. PACKING MATERIAL :

TRAY : PS

SHIPPING CARTON : CORRUGATED FIBERBOARD

16

10

160

PCS/TRAY

TRAY/CARTON

TOTAL QTY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

EXPRESS CARD CONNECTOR
SHIELD FRAME ASSEMBLY, TOP MOUNT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-1759880

SCALE

1:1

SHEET

4 OF 4

REV

D1