




TE Internal #: 1-966067-3
Ferrule, 16 AWG, 1.25 – 1.5 mm² Wire, 2583 CMA, Closed Barrel, Tin Plating, Length 16 mm [.63 in], Bag, Discrete Wire, Stranded Wire
[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Ferrule**
Compatible Insulation Diameter Range: **3.4 mm [.13 in]**
Wire Size: **2583 CMA**

Features

Body Features

Primary Product Color	Black
-----------------------	-------

Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded

Packaging Features

Packaging Quantity	500
Packaging Method	Bag

Dimensions

Strip Length	12 mm[.472 in]
2-Wire Size	16 AWG
Compatible Insulation Diameter Range	3.4 mm[.13 in]
Wire Size	2583 CMA
Barrel Inside Diameter	3.5 mm[.14 in]
Terminal Material Thickness	.15 mm[.005 in]
Overall Product Length	16 mm[.63 in]

Contact Features



Contact Mating Area Length	10 mm[.39 in]
Crimp Wire Terminal Type	Ferrule
Barrel Type	Closed
Terminal Plating Material	Tin
Terminal Orientation	Straight

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 539660-1

ADERENDHUELSEN (Ferrule) Crimp Tool

Customers Also Bought



TE Part #CAT-82A-TC-T-24

SPEC 80 Twisted Pair Cable: FlexLine Cable, Tin Coated, 24 AWG



TE Part #963766-2

TAB 9.5x1.2 CONTACT CF SRC Sn

TE Part #3742610095

Speed sen DSS 1210.15 P7HV 11.99014-021



TE Part #474268-E

SRCBUG A 2,54 2-WH 6 CSI 165 E1 ADV J 2



TE Part #474276-E

SRCBUG A 2,54 2-WH 8 CSI 164 E1 ADV J 2

TE Part #K1149256-1

Plunger Switch 44-01-049 C4314



TE Part #484192-E

SRCBUG A 2,54 2-WH 2 CSI 165 E1 ADV J 2



TE Part #484218-E

SRCBUG A 2,54 2-WH 5 CSI 164 E1 ADV J 2



TE Part #484219-E

SRCBUG A 2,54 2-WH 5 CSI 165 E1 ADV J 2

Documents

Product Drawings

FER,WIRE,PL SLV,1.50/16,L10,BLACK,LP



English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1-966067-3_B1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1-966067-3_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_1-966067-3_B1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1-966067-3_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-966067-3_B1.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-966067-3_B1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Wire Ferrules

English

WIRE END FERRULES

English

Agency Approvals

CSA Certificate

English