




4		3		2		1							
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC		DIST		REVISIONS					
© COPYRIGHT — By —		ALL RIGHTS RESERVED.		GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
									—	SEE SHEET 1	—	—	—



RECOMMENDED PCB-HOLE PATTERN



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 06JAN2012		 TE Connectivity									
DIMENSIONS: mm		CHK C. ROHDE 06JAN2012											
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C. ROHDE 06JAN2012		NAME							
		0 PLC ± —		PRODUCT SPEC		AMP LATCH 2.54 DIL-PLUG CONNECTOR, W/ RETENTION FEATURE, TAPE MOUNTED ON REEL							
		1 PLC ± —		108-19033									
MATERIAL —		2 PLC ± —		APPLICATION SPEC		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO			
		3 PLC ± —		—		A3		00779	C-216792	—			
		4 PLC ± —		WEIGHT —		CUSTOMER DRAWING		SCALE	NTS	SHEET	2 OF 2	REV	C3
FINISH —		ANGLES ± —											

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-216792-0](#)