




Terminals & Splices > Splices



Splice Type: **Butt Splice**
Wire Size: **8 mm²**
Sealable: **No**
Splice Features: **Standard**

Features

Packaging Features

Packaging Quantity	100
Packaging Method	Loose Piece

Contact Features

	100 μin
Terminal Plating Material	Tin
Contact Base Material	Copper
Barrel Type	Closed

Body Features

Product Weight	4.142 g
Splice Features	Standard

Dimensions

Outside Diameter	7.52 mm[.296 in]
Wire Size	13100 – 20800 CMA
Barrel Inside Diameter	4.37 mm[.172 in]

Terminal Material Thickness	1.3 mm[.051 in]
Product Length	21.01 mm[.827 in]

Product Type Features

Splice Accessory Type	Splice
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free







Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1901001-1 NEST #8	 TE Part # 1901002-2 INDENTER, SOLISTRAND	 TE Part # 48126 HYP8 SOLIS 8AWG NEST	 TE Part # 48355 HYP8 SOLIS 8AWG INDENTER
 TE Part # 49956 PNEUMATIC SOLIS STRATO 8 HEAD	 TE Part # 69216 HYP8/10 SOLIS 8AWG DIE SET	 TE Part # 600850 ROTO-CRIMP TOOL (ASI)	 TE Part # 69355 HHHT SOLIS SOLIS FLAG STRATO 8 ASSY
 TE Part # 324672 SPLICE,SOLIS BUTT 8	 TE Part # 69339 HHHT SOLIS SOLIS FLAG STRATO 8 ASSY	 TE Part # 1490413-1 HYP10 SOLIS 8AWG NEST	 TE Part # 1490414-1 HYP10 SOLIS 8AWG INDENTER



Customers Also Bought



Documents

Product Drawings
SPLICE,SOLIS BUTT 8

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_34321_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_34321_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_34321_G.3d_stp.zip

English

3D PDF



English

Customer View Model

[ENG_CVM_34321_C1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_34321_C1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_34321_C1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOLISTRAND - QRG](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[UL Report](#)

English

[UL Report](#)

English