

## Between Series Adaptor 33\_QLA-BNC-01-1/1--\_N

### Description

Adaptor plug/jack  
QLA-01 plug (male) / BNC jack (female)

Interface standards  
Series QLA-01 - NIM-CAMAC-Standard CD/N549  
Series BNC - IEC 61169-8\_MIL-STD-348A/301\_CECC 22120



### Technical Data

#### Electrical Data

Impedance other  $\Omega$   
Interface frequency max. 1.4 GHz

#### Mechanical Data

Number of matings 500  
Weight 0.0085 kg

#### Environmental Data

Operating temperature -55 °C to 150 °C  
2011/65/EU (RoHS - including 2015/863 and 2017/2102) compliant

#### Material Data

Interface - QLA-01 plug (male)

| Piece Parts    | Material               | Surface Plating                            |
|----------------|------------------------|--|
| Centre contact | Copper Beryllium Alloy | Gold Plating (without Nickel underplating) |
| Outer contact  | Brass                  | Nickel Plating                             |
| Body           | Brass                  | Nickel Plating                             |
| Insulator      | PFA / PTFE             |  |

Interface - BNC jack (female)

| Piece Parts    | Material               | Surface Plating                            |
|----------------|------------------------|--|
| Centre contact | Copper Beryllium Alloy | Gold Plating (without Nickel underplating) |
| Outer contact  | Brass                  | SUCOPLATE (R) Plating                      |
| Body           | Brass                  | SUCOPLATE (R) Plating                      |
| Insulator      | PFA / PTFE             |  |

### Related Documents

Catalogue drawing DCA-00014252

### Ordering Information

Single package 33\_QLA-BNC-01-1/1--\_NE