










7		8	
REV.	REVISION DESCRIPTION	DATE	APPD

- NORES:
- 1. Rated voltage:250V AC. DC
 - 2. Rated current:2.5A AC DC MAX
 - 3. Contact resistance: $\leq 20m\Omega$
 - 4. Insulation resistance: $\geq 1000M\Omega$
 - 5. With standvoltage:500V AC/minute
 - 6. Ambient temperature: $-40^{\circ}C \sim +105^{\circ}C$
 - 7. Materials:LCP UL94V-0

2	(2)	基座	LCP	1	UL94V-0
1	(1)	接触件	Copper	N*	镀锡
序号	图号	名称	材料	数量	附件

Circuits	PRODUCT NAME	Dimension mm		Circuits	PRODUCT NAME	Dimension mm	
		A	B			A	B
2	ZHF-2AB	1.5	4.3	10	ZHF-10AB	13.5	16.3
3	ZHF-3AB	3.0	5.8	11	ZHF-11AB	15.0	17.8
4	ZHF-4AB	4.5	7.3	12	ZHF-12AB	16.5	19.3
5	ZHF-5AB	6.0	8.8	13	ZHF-13AB	18.0	20.8
6	ZHF-6AB	7.5	10.3	14	ZHF-14AB	19.5	22.3
7	ZHF-7AB	9.0	11.8	15	ZHF-15AB	21.0	23.8
8	ZHF-8AB	10.5	13.3	—	—	—	—
9	ZHF-9AB	12.0	14.8				

GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO .,LTD			
.X: ± 0.25	X° : ± 3.0°	PRODUCT NAME: DL15009 (ZHF)-AB		TITLE: 1.5 mm Pitch Wire To Board SMT Wafer	
.XX: ± 0.15	.X° : ± 2.0°				
.XXX: ± 0.01	.XX° : ± 1.0°	DR:Chen Quan Long	DATE:19/08/01	PART NO:	
FINISH: _____		CHKD:Wu Hui	DATE:19/08/01		
DRAWING NO:		APPD:Ren An De	DATE:19/08/01	SCALE: N/A	PAGE: 1/1
				UNITS: mm	REV. : A




NORES:

1. Rated voltage: 250V AC.DC
2. Rated current: 2.5A AC DC MAX
3. Contact resistance: $\leq 20\text{m}\Omega$
4. Insulation resistance: $\geq 1000\text{M}\Omega$
5. With stand voltage: 500V AC/minute
6. Ambient temprature: $-40^{\circ}\text{C} \sim +105^{\circ}\text{C}$
7. Materials: LCP UL94V-0

2	②	基座	LCP	1	UL94V-0
1	①	接触件	Copper	N*	镀锡
序号	图号	名称	材料	数量	附件

Circuits	PRODUCT NAME	Dimensino (mm)	
		A	B
2	ZHF-2AWB	1.5	4.3
3	ZHF-3AWB	3.0	5.8
4	ZHF-4AWB	4.5	7.3
5	ZHF-5AWB	6.0	8.8
6	ZHF-6AWB	7.5	10.3
7	ZHF-7AWB	9.0	11.8
8	ZHF-8AWB	10.5	13.3
9	ZHF-9AWB	12.0	14.8
10	ZHF-10AWB	13.5	16.3
11	ZHF-11AWB	15.0	17.8
12	ZHF-12AWB	16.5	19.3
13	ZHF-13AWB	18.0	20.8
14	ZHF-14AWB	19.5	22.3
15	ZHF-15AWB	21.0	23.8

GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO.,LTD			
.X: ± 0.25	X°: $\pm 3.0^{\circ}$	PRODUCT NAME:		TITLE:	
.XX: ± 0.15	.X°: $\pm 2.0^{\circ}$	DL15009 (ZHF)-AWB		1.5 mm Pitch Wire To Board SMT Wafer	
.XXX: ± 0.01	.XX°: $\pm 1.0^{\circ}$	DR: Chen Quan Long	DATE: 19/08/01	PART NO:	
FINISH:		CHKD: Wu Hui	DATE: 19/08/01	SCALE: N/A	PAGE: 1/1
DRAWING NO:		APPD: Ren An De	DATE: 19/08/01	UNITS: mm	REV.: A




REV.	REVISION DESCRIPTION	DATE	APPD

NOTES

Available in 02 through 15 Circuits.
Match with DL15009 series housing
Material : Nylon UL94V-0(2).
Accepts DL15009-T Crimp Terminal.




Circuits	PRODUCT NAME	Dimension mm			Circuits	PRODUCT NAME	Dimension mm		
		A	B	C			A	B	C
2	ZHF-2Y	1.50	4.10	3.70	9	ZHF-9Y	12.00	14.60	14.20
3	ZHF-3Y	3.00	5.60	5.20	10	ZHF-10Y	13.50	16.10	15.70
4	ZHF-4Y	4.50	7.10	6.70	11	ZHF-11Y	15.00	17.60	17.20
5	ZHF-5Y	6.00	8.60	8.20	12	ZHF-12Y	16.50	19.10	18.70
6	ZHF-6Y	7.50	10.10	9.70	13	ZHF-13Y	18.00	20.60	20.20
7	ZHF-7Y	9.00	11.60	11.20	14	ZHF-14Y	19.50	22.10	21.70
8	ZHF-8Y	10.50	13.10	12.70	15	ZHF-15Y	21.00	23.60	23.20

GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO.,LTD			
.X: ± 0.25	X°: $\pm 3.0^\circ$	PRODUCT NAME: DL15009 (ZHF) -Y		TITLE: 1.50 mm Pitch Housing	
.XX: ± 0.15	.X°: $\pm 2.0^\circ$			PART NO:	
.XXX: ± 0.01	.XX°: $\pm 1.0^\circ$	DR:Chen Quan Long	DATE:22/08/01	SCALE: N/A	
FINISH: _____		CHKD: Wu Hui	DATE:22/08/01	PAGE: 1/1	
DRAWING NO:		APPD:Ren An De	DATE:22/08/01	UNITS: mm	REV.: A



NOTES

Used in DL15009-Y Series Housing.
Accepts AWG #30~24 Wire Range.
Insulation O.D.=0.7~1.2 mm.
Material : Phosphor Bronze .
Finish: Tin plated.
Thickness: 0.15 mm.



Product name	Dimension (mm)				Applicable wire	Insulation O.D. (mm)
	A1	B1	A2	B2		
DL15009 (ZHF) -T	1.8	1.8	1.2	1.2	AWG#30-26	1.0mm Max
DL15009 (ZHF) -T-G	2.0	2.1	1.4	1.3	AWG#26-24	1.2mm Max

GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO.,LTD			
.X: ± 0.25	X° : ± 3.0°	PRODUCT NAME:		TITLE:	
.XX: ± 0.15	.X° : ± 2.0°	DL15009 (ZHF) -T		1.50mm Pitch Crimp Terminal	
.XXX: ± 0.01	.XX° : ± 1.0°	DR:Chen Quan Long	DATE:22.08.01	PART NO:	
FINISH:		CHKD: Wu Hui	DATE:22.08.01	SCALE: N/A	PAGE: 1/1
DRAWING NO:		APPD:Ren An De	DATE:22.08.01	UNITS: mm	REV.: C