

工程变更通知单

发文单位: 工程

主题:

图面发行

优先级别: ☐ 特急☒ 急☐ 一般

变更说明: 图面取消 DATE CODE 图号 CAT151-00 A 版升级 B 版。	文件编号: CN18041708	对应 ECR 编号: /
通知日期: 2018.04.17		



产品名称: 参考图面

宏通料号: 参考图面

变更原因: ☒ 文书修正 ☐ 设计变更 ☐ 客户要求 ☐ 品质改善 ☐ 制程改善 ☐ 降低成本 ☐ 其它

变更前:

变更后:



制程管制方式:

无须管制

产品环保属性:

☒ HSF☐ HF

物料切换方式	受影响物料: 无		
	☐ 成品料号:	数量:	处理方式: ☐ 旧品报废 ☐ 旧品延用 ☐ 其它
	☐ 零件料号:	数量:	处理方式: ☐ 旧品报废 ☐ 旧品延用 ☐ 其它
	☐ 包材料号:	数量:	处理方式: ☐ 旧品报废 ☐ 旧品延用 ☐ 其它
	☐ 原材料号:	数量:	处理方式: ☐ 旧品报废 ☐ 旧品延用 ☐ 其它
备注: 1. 旧品报废时, 新品即时导入 2. 旧品延用时, 新品待旧品消耗完后切入			

需修订文件	☐ 厂内组装图:	☐ 零件图:	☐ 包装图:
	☒ 客户图	☐ 成品 BOM:	☐ 半成品 BOM:
	☐ SOP:	☐ SIP:	☐ QC 工程图
	☐ 客户承认书	☐ 供应商承认书	

佐证报告 (附件)	☐ 可靠度测试报告	☐ 试产报告	☐ FAI
	☐ 有害物质检测报告 (仅限于原材料或辅助用料, 制程变化变更时需提供)		

受文单位:

☐ 工程☐ 业务☐ 生产☐ 品保☐ 资材☐ 其它

客户回签

☐ 需要
☐ 同意客户签名:
☐ 不同意☐ 不需要






协力厂商回签

☐ 需要
☐ 同意协力厂商签名:
☐ 不同意☒ 不需要

核准:

审核:

承办: 储开全




- NOTES:
1. MECHANICAL:
MATING FORCE: 45N MAX
UNMATING FORCE: 10N MIN
 2. ELECTRICAL:
LOW LEVEL CONTACT RESISTANCE:
INITIAL: 30mΩ MAX
AFTER TEST: 45mΩ MAX
INSULATION RESISTANCE: 100MΩ/MIN
WITHSTANDING VOLTAGE: 500V AC FOR 1MIN
TEMPERATURE: -40°C ~ +105°C
 3. MATERIAL:
HOUSING: LCP UL94V-0, COLOR: BLACK
TERMINAL: PHOSPHOR BRONZE T=0.25mm
HOOK: BRASS
 4. FINISH:
TERMINALS:
50μ" IN UNDERPLATING OVER ALL
100μ" MIN TIN PLATING ON THE TAIL
150μ" MIN AU PLATING ON CONTACT AREA.
5. DIM. MARKED (S) SHOULD BE MEASURED BY FAI;
* - MAJOR DIM.

RECOMMEND PCB LAYOUT
(PCB THICKNESS=1.2mm)
DEFAULT TOLERANCES: ±0.05
(COMPONENT SIDE)

THE RESTRICTION OF ENVIRONMENTAL MANAGEMENT SUBSTANCES IS
BASED ON THE NEW VERSION OF HTQ-S-3Q-83





TITLE: 1.27mm PITCH SATA CONN
H=1.00mm SMT TYPE (NO CAP)
HOMETOM www.hometom.com.tw
HONG TONG ENTERPRISE CO., LTD.

TOLERANCE		APPROVAL:		UNIT:		PART NO:	
LINEAR:	ANGLE:			mm		AT22J36BEA275	
X _s ±0.30	X _s ±2°						
.X ±0.25	.X° ±1°	CHECK:		SIZE:		DWG. NO:	
.XX ±0.20	.XX° ±0.5°			A4		CAT151-00	
CUSTOMER DRAWING	REV: B	DRAWN:		SCALE:		PRJ.:	
						SHEET:	
						1 / 2	





REV.	ECN NO.	DATE
A	CN17121809	2017/12/18
B	CN18041708	2018/04/17



宏通电子(苏州)有限公司
2018.4.17
苏州发行章

1. DIMENSION :
CARTON:

L=330mm, W=330mm, H=325mm
2. 1 QUANTITY = 3 PE BAG
= 6 DESICCANT
= 3 REEL
= 1500 PCS

THE RESTRICTION OF ENVIRONMENTAL MANAGEMENT SUBSTANCES IS
BASED ON THE NEW VERSION OF HTQ-S-3Q-83

TITLE: 1.27 mm PITCH SATA CONN
H=1.00mm SMT TYPE BAG(INO CAP)
HOMETOM www.hometom.com.tw
HORNG TONG ENTERPRISE CO.,LTD.

TOLERANCE		APPROVAL:		UNIT:		PART NO:	
LINEAR:	ANGLE:			mm		AT22J36BEA275	
X, ±0.30	X°, ±2°						
.X, ±0.25	.X°, ±1°						
.XX, ±0.20	.XX°, ±0.5°	CHECK:		SIZE:		DWG.NO:	
CUSTOMER REV: B		DRAWN:		SCALE:		PRJ.:	
DRAWING				A4		CAT151-00	
						SHEET: 2 / 2	