

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION - ,- .
© COPYRIGHT - By, - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	RELEASE PER ECR-12-011002	18JUN2012	S.W	C.W





1. MATERIALS:
   - HOUSING: HIGH TEMPERATURE NYLON, UL94 V-0
   - EXTRACTOR: HIGH TEMPERATURE THERMOPLASTIC
   - CONTACTS: COPPER ALLOY
   - RETENTION BARB: BRASS, TIN PLATED
2. INTERFACE FINISH:
   - (1) GOLD FLASH OVER 0.00127 MIN THK NICKEL.
   - (2) 0.00076 MIN THK GOLD OVER 0.00127 MIN THK NICKEL.
   - (3) 0.00051 MIN THK GOLD OVER 0.00229 MIN THK NICKEL. (D)
3. FINISHED HOLE SIZE. 0.15 MAXIMUM ANNULAR RING.
4. KEEP OUT ZONE.
5. KEEP OUT AREA RESERVED FOR SOCKET EXTRACTORS, BOTH ENDS.
6. SOLDERTAIL FINISH:
   - 0.00254 MIN THK MATTE TIN OVER 0.00127 MIN THK NICKEL.
7. LED LOCATION AS APPLICABLE PER CUSTOMER.
8. DATUM -G- IS CONNECTOR SIDE SURFACE OF PCB.
9. DATE CODE LOCATED APPROX AS SHOWN FRONT OR BACK SIDE OF CONNECTOR.

	RETENTION BARB	EXTRACTOR COLOR	HOUSING COLOR	CONTACT NICKEL INTERFACE	CONTACT GOLD INTERFACE	TAIL LENGTH	PART NUMBER
(D)		GREEN(375C)	BLACK	90u'' MIN.	20u" MIN.	2.67	2-1932604-3
(D)		NATURAL	BLACK			2.67	2-1932604-2
(D)		BLACK	BLACK			2.67	2-1932604-1
		BLACK	BLACK	50u'' MIN.	30u" MIN.	2.67	3-1932604-2
		NATURAL	BLACK			2.67	3-1932604-1
		BLUE(293C)	BLUE(293C)		GOLD FLASH	2.67	1932604-5
		BLACK	BLACK			2.67	1932604-4
		NATURAL	ORANGE(021C)			2.67	1932604-3
			BLUE(287C)			2.67	1932604-2
			BLACK			2.67	1932604-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± 0.2
2 PLC ± 0.10
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL 1 FINISH 2 6

DWN	SIMON WU 22JUL2010
CHK	COREL WANG 22JUL2010
APVD	STEVEN YAO 22JUL2010
PRODUCT SPEC	108-115010
APPLICATION SPEC	501-115011
WEIGHT	8.5

TE Connectivity

NAME: SOCKET ASSEMBLY, VERTICAL DIMM, SOLDER TAIL, 240 POSITION

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1932604	–


CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 3 | REV D1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION - ,- .
© COPYRIGHT - By, - ALL RIGHTS RESERVED.


LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	–	–



RECOMMENDED PCB LAYOUT
VIEWED FROM CONNECTOR SIDE



RECOMMENDED MODULE LAYOUT
SCALE 3:1
REFER TO JEDEC MO-269 FOR COMPLETE MODULE DETAILS

DETAIL E
SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± 0.2
2 PLC ± 0.10
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –
FINISH –

DWN	SIMON WU	22JUL2010
CHK	COREL WANG	22JUL2010
APVD	STEVEN YAO	22JUL2010
PRODUCT SPEC	–	
APPLICATION SPEC	–	
WEIGHT	–	

TE Connectivity

NAME
SOCKET ASSEMBLY,
VERTICAL DIMM,
SOLDER TAIL, 240 POSITION

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1932604	–

CUSTOMER DRAWING | SCALE 4:1 | SHEET 2 OF 3 | REV D1


4805 (3/11)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION - ,- .
© COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



NOTES :

1. PACKING MATERIAL MET TE SPEC TEC-138-702.
   * CADMIUM AND CADMIUM COMPOUNDS CONTENT:
     5 PPM UNDER (PLASTIC, RUBBER, INK, PIGMENT, PAINT)
   * LEAD, CADMIUM, CHROM VI AND MERCURY IN PACKAGING MATERIALS CONTENT: 100 PPM (COMBINED) UNDER.

2. MATERIAL :
   TRAY: PVC, COLOR: TRANSPARENT.
   CARTON: CORRUGATED FIBER 380mm(L)X 377mm(W)X 355mm(H)
   COVER: PVC, COLOR: TRANSPARENT
   PRESERVATIVE FILM: PE, COLOR: TRANSPARENT.
   BUBBLE PAD: PE, COLOR: TRANSPARENT.

3. EACH BAG SHALL BE INCLUDED:
   * DESICCANT

©	10.2 KG	6.8 KG	80	10	800
	GROSS WEIGHT	NET WEIGHT	PCS/ TRAY	TRAY/ BOX	PCS/ BOX

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± 0.2
2 PLC ± 0.10
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL -
FINISH -

DWN SIMON WU 22JUL2010
CHK COREL WANG 22JUL2010
APVD STEVEN YAO 22JUL2010
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

TE Connectivity

NAME
SOCKET ASSEMBLY,
VERTICAL DIMM,
SOLDER TAIL, 240 POSITION

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1932604	-

CUSTOMER DRAWING | SCALE N/A | SHEET 3 OF 3 | REV D1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

1932604-1